





verfrollenfabriek
AMSTERDAM
paint roller factory



Product 2025 Catalogue



Flooring



Roll Roy is een Nederlandse producent/leverancier van een breed assortiment schildersbenodigdheden voor de industriële, professionele en DHZ markt.

Meer dan 50 jaar ervaring in het produceren van verfrollen en uitvinder van o.a. de 'Super Champion' en de 'Original Velvet Brush Roller'. Voortdurende ontwikkelingen en innovaties gebaseerd op de wensen van afnemers en verfindustrie hebben geresulteerd in een leidende marktpositie en een snel groeiende wereldwijde exportmarkt. Roll Roy produceert in alle voorkomende materialen met toepassing van hoogwaardige grondstoffen, waarbij wordt gestreefd naar hetvervaardigen van mindermilieu belastende producten.

Roll Roy ontwikkelt zich steeds nadrukkelijker als een 'totaalleverancier' en biedt u het beste in kwaliteit-prijs verhouding en producten aangepast aan de wensen van de markt. Onze ervaring, uw voordeel!

Roll Roy is a Dutch manufacturer/supplier for a wide range of painting tools for industrial, professional and DIY markets.

Over 50 years of experience in manufacturing paintrollers, and the inventor of the 'Super Champion' and the 'Original Velvet Brush Roller'. Constant product development and innovations based upon the needs of our customers and the paint industry have resulted in a leading market position with exports all over the world. Roll Roy produces all commonly used tools using only top quality raw materials, and we attach great importance to manufacture products which are less harmful to the environment.

Roll Roy has developed into a 'one stop supplier' and offers you excellent value for money products, designed to meet the needs of all our customers. Our experience, your benefit!

Roll Roy ist ein niederländischer Hersteller/Lieferant für ein breites Spektrum der Malerwerkzeuge für Industrie, Gewerbe und DIY-Märkten.

Über 50 Jahre Erfahrung in der Herstellung von Farbroller, und Erfinder der 'Super Champion' und der 'Original Velvet Brush Roller'. Ständige Produktentwicklung und Innovationen basiert auf den Wünschen unserer Abnehmer und der Farbenindustrie brachten uns in eine führende Marktposition mit Export auf die ganze Welt. Roll Roy produziert aus allen geeigneten Werkstoffen unter Verwendung von hochwertigen Qualitätsgrundstoffen alle gängigen Werkzeuge nur mit hochwertigen Rohstoffen, und legen großen Wert auf die Herstellung umweltfreundlicher Produkte.

Roll Roy hatsich zu einem 'One Stop Anbieter' entwickelt und bietet Ihnen ein ausgezeichnetes Qualität/Preisverhältnis mit Produkten die auf die Wünsche der Kunden abgestimmt sind. Unsere Erfahrung, Ihr Nutzen!



Table of Contents

Symbols	4
Flooring	5
Scrapers & Squeegees	5
Notched Blades Info	8
Notched Blades	9
Trowels	11
Spiked Rollers	13
Mixers	15
Fabric Rollers	16
Frames	21
Trays & Buckets	23
Protection	25
Miscellaneous Flooring	27

Smarter than printing: This Table of Contents, as well as all page numbers, and article codes are clickable when viewed as a PDF on your device.

Symbols



Roller (including frame)

Roller (inclusief beugel)
Roller (einschließlich Bügel)



Refill (excluding frame)

Rol (exclusief beugel)
Walze (ohne Bügel)



Diameter (mm)

Diameter
Durchmesser

Pile Length (mm)

Poolhoogte
Polhöhe



Article

Artikel
Artikel



Quantity

Hoeveelheid
Menge



Volume

Inhoud
Inhalt



Packing Unit

Te bestellen per
Verpackungseinheit



Dimensions

Afmetingen
Abmessungen



Width (cm)

Breedte
Breite



Length (cm)

Lengte
Länge



Thickness

Dikte
Dicke



Brush Width (cm)

Kwastbreedte
Pinselbreite



Hair Length (cm)

Haarlengte
Borstenlänge



Brush Thickness (mm)

Kwastdikte
Pinseldicke



Calibrator for Pin leveller with 6 pins

Aluminium, 52 cm width, with drilled positioning holes for exact parallel adjustment of the large surface scraper 4680K, Adjustable height: 1mm 1,2 mm 1,4mm 1,6mm 1,8mm 2,0mm

#	→	📦
4680L	52	1



Floor Scraper Steel Blade

SCRAPER WITH STEEL BLADE To remove adhesive, paint, etc... waste. Can be pole mounted to be used in a standing position.

#	→	📦
347-25	25	5



Notched Leveller S/S, 56 cm

Leveller fitted with clamps to hold exchangeable notched blades, with wooden handle and drill holes for stick holder. Delivered including Ø 28 mm stickholder. The blade clamp accepts side by side, 2 notched blades of 280 mm (see Article numbers 779...)

#	→	📦
676-OZ	56	1



Pin leveller Economy with 7 pins

Extruded Aluminium, 58 cm Width. For application and spreading of coatings and fillers. Height adjustable steel blade for coating thickness up to 10 mm

#	→	📦
4680/IMP	58	1



Pin leveller with 6 pins

Aluminium 60 cm Width with steel blade, with 6 hardened Adjustable Spikes. For application and spreading of coatings and screeds. Use: Application and spreading of Coatings & Screeds. With height adjustable stainless steel bead. The setting bead is adjustable continuously up to an application height of 13 mm. Calibrator for this article is available under article number 4680L.

#	→	📦
4680K	60	1



Pore spatula PU

Pore spatula with wooden back and 8 mm thick special PU. for spreading resins on colour quartz mortars


#		
4825	8 x 25 cm	5
4840	8 x 40 cm	5



Skid Leveller S/S, 2 Gliders, 56 cm

Leveller with S/S clamping bar to attach toothed blades and height adjustable pins, wooden handle, Including socket Ø 28 mm. The blade slots accept notched blades of 560 mm length with any notch style. In addition the spreader is height adjustable by means of two pins for settings to any height up to 36 mm.

#		
679-OZ	56	5



Spreader with slot for notched blades

Leveller filled with clamps to hold exchangeable toothed blades, Complete steel welded-on holder. The blade clamp accepts 1 notched blade of 280 mm. Notched blade not included (For blades see the 779-* notched blade series)

#		
777-28OZ	28	5



Squeegee

Squeegee synthetic black rubber

#		
C347-35	35	5
C347-45	45	5
C347-60	60	5



Squeegee bitumen 45 cm / 18"

Bitumen squeegee hard rubber. Well-mounted frame with flat, flexible but hardened rubber squeegee, having socket for extension pole. The rubber can resist strong solvents, epoxy & bitumen.

#		
4660	60	5
4645	45	5



Squeegee Holder


Squeegee Holder for notched rubber blades. Made of cast aluminium. With wing screws and clamping rail Angle steel mounting with socket for wooden or aluminium pole. Rubber bar is not included. Suitable for articles 4940 rubber blades.

#		
677-Z60	60	5



Squeegee Holder Economy


Economy Squeegee Holder for notched rubber blades made of extruded aluminium. With 4 wing screws and clamping. With socket for wooden or aluminium pole. Rubber bar is not included. Suitable for articles 4940 rubber blades.

#	→	
677-Z60/IMP	58	5




Squeegee trowel flexible 18"



An extremely versatile tool that can be used for various projects in decorative concrete such as applying metallic epoxy coatings or in general construction to spread/smooth drywall. The squeegee trowel is also very effective at smoothing different textures on surfaces because of its flexible blade. The flexible blade provides added control and maneuverability during application and ensures a consistent and smooth finish. Features: Trowel smoother with flexible rubber blade, threaded handle. Ideal for micro toppings and concrete overlays

#	→	
4640	45	5
4650	56	5








Notched Blades Info







A







B






C



S



R



- * Only has teeth on one side
- * Heeft slechts aan één zijde profiel
- * Als Zahnleiste nur 1-seitig gezahnt

Notched blade A 0,5 mm hardened steel



#	→	▲▲▲	📦
779-EA1	28	0.50 x 1.50 x 1.10	12
779-EA2	28	1.30 x 1.70 x 1.40	12

Notched blade B 0,5 mm hardened steel



#	→	▲▲▲	📦
779-EB1	28	2.60 x 2.40 x 2.00	12
779-EB2	28	2.00 x 3.00 x 2.55	12
779-EB3	28	3.30 x 3.70 x 3.25	12
779-EB5	28	14.30 x 5.70 x 5.15	12
779-EB7	28	4.40 x 3.60 x 3.90	12
779-EB10	28	9.90 x 5.10 x 5.70	12
779-EB12	28	4.90 x 5.10 x 5.10	12

Notched blade C 0,5 mm hardened steel



#	→	▲▲▲	📦
779-EC1	28	4.00 x 4.00 x 4.00	12
779-EC2	28	6.00 x 6.00 x 6.00	12
779-EC3	28	3.00 x 3.00 x 3.00	12
779-EC4	28	8.00 x 8.00 x 8.00	12
779-EC5	28	10.00 x 10.00 x 10.00	12

Notched blade R 0,5 mm hardened steel



#	→	▲▲▲	📦
779-ER1	28	1.50 x 4.00 x 3.00	12
779-ER2	28	2.00 x 4.00 x 5.00	12
779-ER3	28	2.40 x 6.00 x 5.00	12

Notched blade S 0,5 mm hardened steel



#	→	▲▲▲	📦
779-ES1	28	0.10 x 1.80 x 2.55	12
779-ES2	28	0.10 x 4.20 x 3.35	12
779-ES3	28	0.10 x 2.50 x 1.75	12
779-ES4	28	0.10 x 10.30 x 5.05	12



Rubber Blade 55 mm,
 Rubber bar for Article 677-Z60 and 677-Z60IMP

#	→	▲▲▲	📦
4940-E0	58	0 mm	5
4940-E2	58	2 mm	5
4940-E3	58	3 mm	5
4940-E4	58	4 mm	5
4940-E5	58	5 mm	5



Concave tapered trowel S/S with 15 mm radius and top edge board

Corner radius 15 mm. Stainless steel blade approx. 1,0 mm thick. Height of coving 80 mm. Width of the top edge board 10 mm. Contact width 120 mm and Length 200 mm

#		
345-12015	12 x 20 x 8 cm	5



Concave tapered trowel S/S with 30 mm radius and top edge board

Corner radius 30 mm ~1 3/16 inch. Stainless steel blade approx. 1,0 mm ~3/64 inch thick. Height of coving 80 mm ~3 5/32 inch. Width of the top edge board 10 mm ~13/32 inch. Contact width 120 mm ~4 3/4 inch. Length 200 mm ~7 7/8 inch.

#		
345-12030	12 x 20 x 8 cm	5



Concave tapered trowel S/S, with 15 mm radius, height 120 mm

Corner radius 15 mm. Stainless steel blade approx. 1,0 mm ~3/64 inch thick. Height of coving 120 mm. Contact width 120 mm ~4 3/4 inch. Length 200 mm ~7 7/8 inch.

#		
344-12015	12 x 20 x 12 cm	5



Concave tapered trowel S/S, with 30 mm radius, height 120 mm

Corner radius 30 mm ~1 3/16 inch. Stainless steel blade approx. 1,0 mm ~3/64 inch thick. Height of coving 120 mm. Contact width 120 mm ~4 3/4 inch. Length 200 mm ~7 7/8 inch.

#		
344-12030	12 x 20 x 12 cm	5



Floor trowel rounded S/S blade

Head and heel rounded stainless steel blade, reinforced light-alloy mounting, large rifled wooden handle. Thickness 1mm. For: Epoxy, Mortar & Decorative Concrete. Use: To spread and smoothen the Compound

#		
860-R42	12,5 x 42,5 cm	5



Floor trowel S/S

Stainless Steel blade. blade thickness 0,75 mm, untreated wooden handle. For: Epoxy, Mortar & Decorative Concrete. Use: To spread and smoothen the Compound

#		
860-40	13 x 40 cm	5


Floor trowel S/S with slot for notched blades

Leveler filled with slots to hold exchangeable notched blades, Light alloy mounting, wooden handle. To be used with exchangeable notched blades (see article numbers 779). The blade slots accepts 1 notched blade of 280 mm. Notched blade not included. For: Self-levelling Compound & Epoxy Screed. Use: Application and spreading of Coatings & Screed.

#

999ROZ



13 x 28 cm



1


Smoothing trowel, sword type, S/S

Sword Shaped, hardened stainless steel blade 80/115 mm ~3 1/8 inch x 4 1/2 inch, blade length 500 mm ~ 20 inch, double light-metal support and wooden grip. Thickness of the blade is 1 mm. For: Epoxy, Mortar & Decorative Concrete. Use: To spread and smoothen the Compound

#

34422R



50 x 8/11.5 cm



5


Trowel for Resin Based Mortars, S/S blade, 7,5 x 35 cm

Special Trowel for Resin Based Mortars, stainless steel blade, unvarnished wooden handle blade thickness 0,75 mm. Use: To spread and smoothen Mortars.

#

8135



7,5 x 35 cm



5


Trowel round S/S 170 mm, 30 mm radius

CURVING TROWEL Stainless steel, Length 170 mm, Blade thickness 1.1 mm, radius 30 mm. For: Concrete & Epoxy Screed. Use: To shape the Cove or create a Channel

#

3449-030



17 cm



5


Trowel round S/S 170 mm, 50 mm radius

Stainless steel, Length 170 mm, Blade thickness 1.1 mm, radius 50 mm For: Concrete & Epoxy Screed. Use: To shape the Cove or create a Channel

#


3449-050



17 cm



5



Spiked Refill Steel 10mm

The Spike Refill Steel has very thin metal spikes, Spike Diameter 0,4mm, Ø 52 mm for less splashing. Available Spike length 10 mm and 18 mm For: Viscous or Structured Self-levelling Compounds. Use: For air bleeding during application

Diameter: 52

#	i	→	↑	📦
2464	Refill	25	10 mm	5
2468	Refill	50	10 mm	5



Spiked Refill Steel 18mm

The Spike Refill steel has very thin metal spikes, Spike Diameter 0,4mm, Ø 52 mm for less splashing. Available Spike length 10 mm and 18 mm For: Viscous or Structured Self-levelling Compounds. Use: For air bleeding during application

Diameter: 52

#	i	→	↑	📦
2484	Refill	25	18 mm	5
2488	Refill	50	16 mm	5



Spiked Roller Nylon Pro

PROFESSIONAL SPIKE ROLLER Material: Short Nylon Spikes Colour: White For: Self-levelling Compounds Use: For air bleeding during application of Self-levelling Compounds

Diameter: 44

#	i	→	↑	📦
893	Roller	19	11 mm	1
894	Roller	24	11 mm	1
897	Roller	40	11 mm	1
898	Roller	50	11 mm	1



Spiked Roller Nylon

Spike Roller with 11mm stiff Nylon Spikes for air-bleeding during application of self-levelling floor coating.

Diameter: 44

#	i	→	↑	📦
2442	Refill	18	11 mm	1
2444	Refill	25	11 mm	1
2447	Refill	40	11 mm	1
2448	Refill	50	11 mm	1
442	Roller	18	11 mm	1
444	Roller	25	11 mm	5
448	Roller	50	11 mm	5
447	Roller	40	11 mm	5
449	Roller	70	11 mm	5



Spiked Roller Nylon

Spike Roller with 21mm or 31mm soft Nylon Spikes for air-bleeding during application of self-levelling floor concrete.

Diameter: 44

#	i	→	↑	📦
434	Roller	25	21 mm	1
438	Roller	50	21 mm	1
439	Roller	75	21 mm	5
424	Roller	25	31 mm	1
428	Roller	50	31 mm	1
429	Roller	75	31 mm	5

Looped

**Looped roller blue**

Looped roller for smoothing out thin film coating. For leveling and finishing. The 50 cm version comes on a double arm frame

Diameter: 44

#	i	→	↑	☐
724	Roller	25	10 mm	5
2724	Refill	25	10 mm	5
728	Roller	50	10 mm	5
2728	Refill	50	10 mm	5



Fluid Mix portable mixing station

- For mixing fluid materials such as self-leveling, premixed, cement-based grout, paint and others.
- Perfect mixing, time for mixing cut off 50%, it eliminates fatigue for transporting the materials once mixed.
- Sturdy steel frame, rubber wheels, dust-free cap. • 4 swivel wheels and inclinable bucket which allows to pour the mixture uniformly.
- Universal attachment for drills/mixers from Ø 40 mm to Ø 60 mm (1 9/16" - 2 3/8").
- Equipped with: 1 bucket 75 liters (20 gal); 1 mixing-paddle, mixer not included. • Buckets (Art. 289LT75) capacity: 75 liters (20 gal)

#	
238UN	6



Hoop Cage Paddle mixer

Hoop Mixer is for use with power drills. Made of zinc-plated steel it has a shaft diameter of 10mm and an oval mixing basket diameter of 140 mm.

Diameter: 14

#	↑	
P345	60 cm	5



Mixer Metal

Metal mixer with hexagonal socket. For use with paint, tile adhesive and plaster. Blending capacity 10 kg.

Diameter: 6

#	↑	
7152	40 cm	10
7153	40 cm	10
7156	60 cm	10



Mixer Plastic 40 cm x

Diameter: 6

#	↑	
7151	40 cm	10



Propellor Epoxy Mixer Paddle Twin Blade

Made out of zinc-plated steel. Twin blade, contra rotating. For all kinds of Paint, screeds, resin, plaster, adhesives, paste, filling compounds, cementitious mortars, etc.

Diameter: 8

#	↑	
629-8	35 cm	5
629-10	50 cm	5
629-12	50 cm	5

Nylon Nylon

Premium quality strong non-shedding woven nylon fabric. For all 2 pack paints and PU Resins.




Nylon roller blue stripe

First choice 13mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins.

Diameter: 44

#	i	→	↑	📦
2962	Refill	18	13	10
2964	Refill	25	13	10



Nylon roller blue stripe

First choice 13mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins.

Diameter: 44

#	i	→	↑	📦
2526	Refill	30	13	10
2527	Refill	40	13	10
2528	Refill	50	13	10
2529	Refill	70	13	10



Nylon Roll-on blue stripe

First choice 13mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins.

Diameter: 44

#	i	→	↑	📦
2964K	Refill	23	13	10



Nylon roller blue stripe

First choice 13mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable for primers on floors

Diameter: 38

#	i	→	↑	📦
561XL	Roller	15	13	50



Nylon roller blue stripe

First choice 13mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable for primers on floors

Diameter: 38

#	i	→	↑	📦
2561XL	Refill	15	13	50



Nylon roller blue stripe
 First choice 13mm woven nylon fabric.
 Does not shed, very strong.
 For 2 component paints and p.u. resins. Also suitable for primers on floors

Diameter: 38

#	i	→	↑	📦
562	Roller	18	13	50
564	Roller	25	13	30
2562	Refill	18	13	50
2564	Refill	25	13	50



Radiator refill nylon blue stripe
 Packed in plastic bag 5 pieces. First choice 13mm woven nylon fabric.
 Does not shed, very strong.
 For 2 component paints and p.u. resins. Also suitable for primers on floors

Diameter: 30

#	i	→	↑	📦
12720	Plastic Polybag (5 pcs)	12	13	10



Radiator refill nylon blue stripe
 First choice 13mm woven nylon fabric.
 Does not shed, very strong.
 For 2 component paints and p.u. resins. Also suitable for primers on floors

Diameter: 15

#	i	→	↑	📦
2569	PET Box (20 pcs)	5	13	5
2560	PET Box (10 pcs)	11	13	10
62560	Single Pack	11	13	125
32560	Twin Pack	11	13	125
2561	PET Box (10 pcs)	15	13	10



Nylon roller blue/red stripe
 First choice 7mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable as floor roller for applying a top layer.

Diameter: 44

#	i	→	↑	📦
2712	Refill	18	7	10
2714	Refill	25	7	10



Nylon roller blue/red stripe
 First choice 7mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable as floor roller for applying a top layer.

Diameter: 44

#	i	→	↑	📦
2556	Refill	30	7	1
2557	Refill	40	7	10
2558	Refill	50	7	10
2559	Refill	70	7	10



Nylon Roll-on blue/red stripe
 First choice 7mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable as floor roller for applying a top layer.

Diameter: 44

#	i	→	↑	📦
2714K	Refill	23	7	10




Radiator refill nylon blue/red stripe

Packed in bag 5 pcs. First choice 7mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable as floor roller for applying a top layer.

Diameter: 30

#				
12730	Plastic Polybag (5 pcs)	12	7	10



Radiator refill nylon blue/red stripe

First choice 7mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable as floor roller for applying a top layer.

Diameter: 15

#				
2330	PET Box (10 pcs)	11	7	10
2331	PET Box (10 pcs)	15	7	10

Vestan Polyester fabric with high paint absorption. Compatible with all paints based on alkyd resins and emulsions.



Vestan roller white

21mm Polyester fabric. Excellent paint absorption. For all paints, based on alkyd resins and emulsions. Also suitable for primers on floors

Diameter: 44

#				
2802	Refill	18	21	10
2804	Refill	25	21	10
2538	Refill	50	21	10
2539	Refill	70	21	10



Polyester roller yellow medium

15mm Polyester fabric. High paint absorption. Compatible with all paints based on alkyd resins and emulsions. Also suitable for primers on floors

Diameter: 44

#				
2866	Refill	30	15	10



Polyester roller yellow long

20mm Polyester fabric. Excellent paint absorption. For all paints, based on alkyd resins and emulsions. Also suitable for primers on floors


Diameter: 44

#				
2876	Refill	30	20	1

Microfiber

Microfiber

Exclusively woven microfibre fabric. Perfect smooth finishing, does not shed. Especially for wood stains and wood preservative treatments.




MicroMix roller blue

Exclusively closed woven 15mm blend of microfiber and polyester. Smooth finishing, does not shed. For all paints, based on alkyd resins and emulsions.

Diameter: 44

#	i	→	↑	📦
2614	Refill	25	15	10
2612	Refill	18	15	10
2617	Refill	40	15	10



Radiator refill Micromix blue

Exclusively closed woven 15mm blend of microfiber and polyester. Smooth finishing, does not shed. For all paints, based on alkyd resins and emulsions.

Diameter: 30

#	i	→	↑	📦
12611	Plastic Polybag (5 pcs)	12	15	10



Radiator refill Micromix blue

Exclusively closed woven 15mm blend of microfiber and polyester. Smooth finishing, does not shed. For all paints, based on alkyd resins and emulsions.

Diameter: 15

#	i	→	↑	📦
2610	PET Box (10 pcs)	11	15	10



Microfiber roller white

Exclusively closed woven 10mm microfiber fabric. Perfect smooth finishing. Especially for woodstains and wood preservative treatments.

Diameter: 44

#	i	→	↑	📦
2627	Refill	40	10	10



Microfiber roller 10 mm white

Exclusively woven 10mm microfiber fabric. Perfect smooth finishing. Especially for woodstains and wood preservative treatments.

Diameter: 44

#	i	→	↑	📦
2628	Refill	50	10	10
2622	Refill	18	10	10
2624	Refill	25	10	10

Natural

Natural Fine Quality, 100% natural. Smooth finish, does not shed.
Short: For 2K paints and p.u. resins. Long: For all water based paint.



Velours roller beige

Fine quality simulated 4mm mohair, 100% wool. Smooth finish, does not shed. For 2 component paints and p.u. resins. Excellent for clear floor coatings.

Diameter: 44

#	i	→	↑	📦
2976	Refill	30	4	10
2972	Refill	18	4	10
2974	Refill	25	4	10

Foam



Texture roller coarse yellow

Coarse grained polyester foam. For application of fine or coarse textured masonry coatings. For waterbased texture and mineral paints.

Diameter: 75

#	i	→	📦
2982	Refill	18	10
2984	Refill	25	10
613	Roller	20	30
2988	Refill	50	10



Texture Roll-on Medium

Medium grained polyester foam. For application of fine or coarse textured masonry coatings. For waterbased texture and mineral paints. Also suitable for special applications on floors.

Diameter: 75

#	i	→	📦
2984K/M	Refill	23	48



Cage frame prof

Diameter: 44

#	→	📦
31032	18	36
31034	23	36



Double arm frame 30 cm / 12"

Diameter: 44

#	→	📦
3514	23	10



Double Arm Frame Aluminium (Adjustable)

Adjustable width 25 - 40 cm (10" - 15")

Diameter: 44

#	→	📦
3527	25	1
3528	40	1



Double arm wire frame

Diameter: 44

#	→	📦
3545	25	1
3546	48	1
3548	50	1



Frame long

Diameter: 6

#	→	↑	📦
3590	10	42 cm	100



Frame long


Diameter: 6

#	→	↑	📦
3592	10	60 cm	100





Quick-lock frame plastic

Diameter: 8

#	→	↑	
3802	18	29 cm	70
3804	25	29 cm	70
3800	75	29 cm	70



Paint bucket plastic black



#	→		
75015	30	15	20
751	40	25	20



Paint bucket plastic black 12 ltr. with spout



#	→		
750-20	25	12	20


Paint bucket plastic black 8 ltr. with Spout



#	→		
794	18	8	40


Paint tray DIY plastic black 28 x 35 cm



#	→	
757	9	50


Paint tray plastic black 15 x 30 cm



#	→	
350	4	150


Paint tray plastic black 31 x 35 cm



#	→	
754	10	50




Paint tray plastic black 44 x 49 cm
 Large paint roller tray. Internal width 46 cm/18 inches. Deep profiled roll off area with side drainage channels. Approx 3 litre maximum working capacity. With pouring spout. Dimensions 44 cm/17 inches long x 46 cm/19 inches wide x 11 cm/4.3 inches deep.

#	→	
795	18	10





Paint tray plastic black with spout 33 x 52 cm

#	→	
756	11	10





Round Plastic Bucket with Lid

#	→		
794R-30	39	30	12



Round Plastic Bucket with Lid and Handle

#	→		
794R-5	23	5	40
794R-10	27	10	24



Disposable coverall (size XL)

This popular disposable coverall is used widely across many industries. It is designed with elasticated stitching around the hood, both the leg and sleeve hems and elasticated stitch detail around the waist, making it a great fit. This product is individually wrapped and is available in white. Features: Elasticated hood, ankles, cuffs and waist, Front zip opening for easy access, Lightweight and comfortable. Shell Fabric Info : Polypropylene

#		
7511	XL	25

Disposable Overshoes Blue PVC 100 pcs

0,1mm x 40cm x 16cm



#				
7509	100 pcs	40 x 16 cm	0,1 mm	5

Gloves Latex Powder Free white 100 pcs

Manufactured from genuine natural rubber (which can cause allergic reactions in some people) these gloves provide the highest degree of dexterity with superior strength and comfort. 100 gloves per box. CE Category 1 Food Safe.



#			
7363XL	100 pcs	XL	5
7363L	100 pcs	L	5

Gloves Nitrile Powder Free disposable blue 100 pcs

Size L. Manufactured from synthetic nitrile rubber, these gloves eliminate the risk of allergic reaction that is associated with latex gloves. A textured finish provides enhanced fingertip grip and offers dexterity in both wet and dry conditions. 100 gloves per box. Conforms to EN420, EN388 and EN374. CE Food Safe.



#			
7365XL	100 pcs	XL	5
7365L	100 pcs	L	5
7365M	100 pcs	M	5

Gloves Vinyl Powder Free Blue 100 pcs

Manufactured from high grade Poly-vinyl chloride our Vinyl Disposable Gloves are super soft for superior user comfort and super stretchy to reduce hand fatigue. These gloves are latex free smooth and non textured with a beaded cuff. 100 gloves per box CE Category 1. CE Food safe



#			
7364XL	100 pcs	XL	5
7364L	100 pcs	L	5
7364M	100 pcs	m	5

Knee Pads Rubber, Heavy Duty

It uses high density polyurethane which is strong enough and thick enough to both protect your knee and cushion it at the same time. Its ribbed design gives good stability. It also prevents water absorption making it ideal for working in wet environments. With adjustable straps for a secure fit.



#	
C641	6



Kneepads Ultimate Gel

Functional and technically innovative, the 138RELAX offers tough protection and premium comfort to the user. Thick silicone gel adapts to your knee cap offering unrivalled comfort, whilst the tough abrasion resistant PVC shell ensures ultimate protection and a longer life span. The shell is designed to give great stability by distributing your weight evenly over a wide area. Adjustable straps allow for great flexibility for fitting while providing comfort to the back of the leg. certified according to EN 14404, Type 1, Level 1

#	
138RELAX	6



Nylon Gloves PU coated Black L

EN420, EN388 Perfect for intricate tasks where dexterity and breathability are essential. Fabric Nylon, PU

#			
7360L	1 pair	L	12
7360XL	1 pair	XL	12



Nylon Gloves PU coated white L

EN420, EN388 Perfect for intricate tasks where dexterity and breathability are essential. Fabric Nylon, PU

#			
7361L	1 pair	L (9)	12
7361XL	1 pair	XL (10)	12
7361XXL	1 pair	XXL (11)	12



PE protection boot

Splash protection of shoes and trousers during painting, decorating, priming or sealing.

#		
7513	75 mµ	30



Smooth tiler's shoes (1 pair)

Flat Bottom Shoes for walking on Adhesive and Screed Base. With adjustable rubber strap

#		
C346	1 pair	5



Spiked shoes black

1 pair of Spiked shoes with 35 mm spikes and 2 nylon fiber adjustable straps Spiked shoes are used for walking on freshly laid screeds or coatings Spiked shoes will bleed air just like spike rollers.

#			
244/IMP	1 pair	35 mm	5



3M Masking Tape

3M™ Value General Purpose Masking Tape 101E is a premium quality tape ideal for many tasks including paint masking. Temperature resistant up to 60°C. Crepe paper backing for conformability that will maintain integrity when formed around corners. □ Backing saturated for easy tear - resists slivering yet hand tearable. Rubber adhesive with instant adhesion. Good holding power that resists lifting or curling and helps reduce rework. Special back side treatment controls unwind and helps reduce waste. Designed for indoor use.

#	→	↑	📦
300025	24	50 m	36
300038	36	50 m	24
300050	48	50 m	20



Duct Tape 3M Black 50 mm x 50 m.

3M™ Value Duct Tape 1900 is a good toolbox tape for general applications including light-duty sealing, bundling, marking, and temporary repairs in non-critical applications. Its synthetic rubber adhesive sticks on contact to smooth metal, glass, plastic, sealed concrete and more, and the water-resistant polyethylene coating seals well in moist and humid environments.

#	→	↑	📦
341050	50	50 m	24



Duct Tape 3M Grey 50 mm x 50 m.

3M™ Value Duct Tape 1900 is a good toolbox tape for general applications including light-duty sealing, bundling, marking, and temporary repairs in non-critical applications. Its synthetic rubber adhesive sticks on contact to smooth metal, glass, plastic, sealed concrete and more, and the water-resistant polyethylene coating seals well in moist and humid environments.

#	→	↑	📦
340050	50	50 m	24



Economy brush

100% tapered synthetic bristle, no glue used. No hair loss. For all types of coating. Multiple use and easy to clean.

Quality: Basic
Hair Type: Synthetic

#	→	↓	↕	📦
200025	25	45	10	12
200035	35	45	11	12
200050	50	45	11	12
200075	75	48	12	12
200100	100	48	12	12



Flat brush, white bristle

60% tops white bristle tin plated ferrule blue plastic handle

Quality: Basic
Hair Type: Natural

#	→	↓	↕	📦
240020	20	38	14	12
240030	30	38	14	12
240040	40	38	14	12
240050	50	38	14	12
240060	60	42	14	12
240070	70	42	14	12
240080	80	42	14	12

**Level Pins 100 pieces**

Simply cut the level pin with scissors to the desired height, using the moulded millimetre rule along the pin. Stick the pin to the floor using the heavy-duty self adhesive base of the pin. Apply the concrete or screed until they are level with the top of the pin.

#



420

100 pcs

3

**Masonry brush**

70 % PET / 30 % white bristle stainless steel ferrule-yellow plastic handle

Quality: Standard
Hair Type: Natural

#



7455

4

76

12

7456

5

76

12

**Painters sponge**

Viscose


#



417

140 x 110 x 35 mm

20

**Putty knife set metal - 4 parts**

4-pcs set of metal putty knives. Size: 5 cm + 8 cm + 10 cm + 12 cm

#



7090

12

**Putty knife set plastic - 4 parts**

4-pcs set of plastic putty knives. Size: 5 cm + 7,5 cm + 10 cm + 12 cm

#



7091

12

**Telescopic pole Pro-Steel internal lock**

Steel telescopic pole 2-pcs, Internal twist lock, fixed european cone

#



763

1,00 - 2,00 m

20



764

1,50 - 3,00 m

10


Telescopic pole Super-Lock double lock USA thread and cone

Super-lock telescopic pole with fiberglass outer and Aluminium inner , twin lock, exchangeable universal cone and US thread

#		
451	0,60 - 1,20 m	12
453	0,90 - 1,80 m	12
452	1,20 - 2,40 m	12
454	1,80 - 3,60 m	6
455	2,70 - 5,40 m	6




Q1 Premium Masking Solutions

Q1


Q1 Duct tape 50 mm x 50 mtr

All Purpose Duct Tape Black: Excellent conformability
Perfectly waterproof Suitable for multiple surfaces Q1®
All Purpose Duct Tape it the perfect tool for general repairs, bundling, patching & mending and protection from damages.

It can be used as protection and sealant in many contexts like home and construction sites.

#			
348050	50	50 m	36

Copyright © 2024 Roll Roy B.V.

Terms and Conditions apply on this publication. These can be obtained on our website at <https://rollroy.com> or on request by contacting us. Although we try our best to make sure this publication is free of errors, no rights can be derived from it.

DOP: 27-11-2024

ROLL ROY[®]

Specialist in Painting Tools

Roll Roy Holland

Westhavenweg 87
1042 BA, Amsterdam
The Netherlands
+31 20 6118101
sales@rollroy.com

Roll Roy UK

57-59 Clarence Street
HU9 1DH Kingston upon Hull
United Kingdom
+44 1482 781400
sales@rollroy.co.uk

Roll Roy Middle East

P.O. Box: 120320, Unit Q4 - 041
Saif Zone, Sharjah
United Arab Emirates
+971 65 579 405
sales@rollroy.ae

