
ROLL ROY®

verfrollenfabriek
AMSTERDAM
paint roller factory



Product 2022 Catalogue

Flooring

Roll Roy is een Nederlandse producent/leverancier van een breed assortiment schildersbenodigdheden voor de industriële, professionele en DHZ markt.

Meer dan 50 jaar ervaring in het produceren van verfrollen en uitvinder van o.a. de 'Super Champion' en de 'Original Velvet Brush Roller'. Voortdurende ontwikkelingen en innovaties gebaseerd op de wensen van afnemers en verfindustrie hebben geresulteerd in een leidende marktpositie en een snel groeiende wereldwijde exportmarkt. Roll Roy produceert in alle voorkomende materialen met toepassing van hoogwaardige grondstoffen, waarbij wordt gestreefd naar hetvervaardigen van mindermilieu belastende producten.

Roll Roy ontwikkelt zich steeds nadrukkelijker als een 'totaalleverancier' en biedt u het beste in kwaliteit-prijs verhouding en producten aangepast aan de wensen van de markt. Onze ervaring, uw voordeel!

Roll Roy is a Dutch manufacturer/supplier for a wide range of painting tools for industrial, professional and DIY markets.

Over 50 years of experience in manufacturing paintrollers, and the inventor of the 'Super Champion' and the 'Original Velvet Brush Roller'. Constant product development and innovations based upon the needs of our customers and the paint industry have resulted in a leading market position with exports all over the world. Roll Roy produces all commonly used tools using only top quality raw materials, and we attach great importance to manufacture products which are less harmful to the environment.

Roll Roy has developed into a 'one stop supplier' and offers you excellent value for money products, designed to meet the needs of all our customers. Our experience, your benefit!

Roll Roy ist ein niederländischer Hersteller/Lieferant für ein breites Spektrum der Malerwerkzeuge für Industrie, Gewerbe und DIY-Märkten.

Über 50 Jahre Erfahrung in der Herstellung von Farbroller, und Erfinder der 'Super Champion' und der 'Original Velvet Brush Roller'. Ständige Produktentwicklung und Innovationen basiert auf den Wünschen unserer Abnehmer und der Farbenindustrie brachten uns in eine führende Marktposition mit Export auf die ganze Welt. Roll Roy produziert aus allen geeigneten Werkstoffen unter Verwendung von hochwertigen Qualitätsgrundstoffen alle gängigen Werkzeuge nur mit hochwertigen Rohstoffen, und legen großen Wert auf die Herstellung umweltfreundlicher Produkte.

Roll Roy hatsich zu einem 'One Stop Anbieter' entwickelt und bietet Ihnen ein ausgezeichnetes Qualität/Preisverhältnis mit Produkten die auf die Wünsche der Kunden abgestimmt sind. Unsere Erfahrung, Ihr Nutzen!



Table of Contents

Symbols 5

Flooring 7

Scrapers & Squeegees 7
Notched Blades Info 10
Notched Blades 11
Trowels 13
Spiked Rollers 15
Mixers 17
Fabric Rollers 18
Frames 23
Trays & Buckets 25
Protection 27
Miscellaneous Flooring 30

Smarter than printing: This Table of Contents, as well as all page numbers, and article codes are clickable when viewed as a PDF on your device.

Symbols

Roller (including frame)
Roller (inclusief beugel)
Roller (einschließlich Bügel)

Refill (excluding frame)
Rol (exclusief beugel)
Walze (ohne Bügel)

Diameter (mm)
Diameter
Durchmesser

Pile Length (mm)
Poolhoogte
Polhöhe

Article
Artikel
Artikel

Quantity
Hoeveelheid
Menge

Volume
Inhoud
Inhalt

Packing Unit
Te bestellen per
Verpackungseinheit

Dimensions
Afmetingen
Abmessungen

Width (cm)
Breedte
Breite

Length (cm)
Lengte
Länge

Thickness
Dikte
Dicke

Brush Width (cm)
Kwastbreedte
Pinselbreite

Hair Length (cm)
Haarlengte
Borstenlänge

Brush Thickness (mm)
Kwastdikte
Pinseldicke



Calibrator for Pin leveller with 6 pins
Aluminium, 52 cm width, with drilled positioning holes for exact parallel adjustment of the large surface scraper 4680K, Adjustable height: 1mm 1,2 mm 1,4mm 1,6mm 1,8mm 2,0mm

#	→	
4680L	52	5



Heavy duty scraper PP grip
Pole Type Scraper with American type thread. 1,8 mm thick S/S blade

#	→	
120075	75	12
120100	100	12
120175	175	12



Notched Leveller S/S, 56 cm
Leveller fitted with clamps to hold exchangeable notched blades, with wooden handle and drill holes for stick holder. Delivered including Ø 28 mm stickholder. The blade clamp accepts side by side, 2 notched blades of 280 mm (see Article numbers 779...)

#	→	
676-OZ	56	5



Pin leveller Economy with 7 pins
Extruded Aluminium, 58 cm Width. For application and spreading of coatings and fillers. Height adjustable steel blade for coating thickness up to 10 mm

#	→	
4680IMP	58	5



Pin leveller with 6 pins
Aluminium 60 cm Width with steel blade, with 6 hardened Adjustable Spikes. For application and spreading of coatings and screeds. Use: Application and spreading of Coatings & Screeds. With height adjustable stainless steel bead. The setting bead is adjustable continuously up to an app

#	→	
4680K	60	5



Pore spatula PU
Pore spatula with wooden back and 8 mm thick special PU. for spreading resins on colour quartz mortars

#		
4825	8 x 25 cm	5
4840	8 x 40 cm	5



Skid Leveller S/S, 2 Gliders, 56 cm
Leveller with S/S clamping bar to attach toothed blades and height adjustable pins, wooden handle, Including socket Ø 28 mm. The blade slots accept notched blades of 560 mm length with any notch style. In addition the spreader is height adjustable by means of two pins for settings to any height up t

#	→	
679-OZ	56	5



Spreader with slot for notched blades
Leveller filled with clamps to hold exchangeable toothed blades, Complete steel welded-on holder. The blade clamp accepts 1 notched blade of 280 mm. Notched blade not included (For blades see the 779-* notched blade series)

#	→	
777-28-OZ	28	5



Squeegee
Squeegee synthetic black rubber

#	→	
C347/35	35	5
C347/45	45	5
C347/60	60	5



Squeegee bitumen 45 cm / 18"
Bitumen squeegee hard rubber. Well-mounted frame with flat, flexible but hardened rubber squeegee, having socket for extension pole. The rubber can resist strong solvents, epoxy & bitumen.

#	→	
4645	45	5
4660	60	5



Squeegee Holder
Squeegee Holder for notched rubber blades. Made of cast aluminium. With wing screws and clamping rail Angle steel mounting with socket for wooden or aluminium pole. Rubber bar is not included. Suitable for articles 4940 rubber blades.

#	→	
677-Z60	58	5



Squeegee Holder Economy
Economy Squeegee Holder for notched rubber blades made of extruded aluminium. With 4 wing screws and clamping. With socket for wooden or aluminium pole. Rubber bar is not included. Suitable for articles 4940 rubber blades.


#	→	
677-Z60IMP	58	5



Squeegee trowel flexible 18"
An extremely versatile tool that can be used for various projects in decorative concrete such as applying metallic epoxy coatings or in general construction to spread/smooth drywall. The squeegee trowel is also very effective at smoothing different textures on surfaces because of its flexible blade.

#	→	
4640	45	5
4650	56	5

Notched Blades Info



A

A1	0.50	1.50	1.10

A2	1.30	1.70	1.40

B

B1	2.60	2.40	2.00

B2	2.00	3.00	2.55

B3	3.30	3.70	3.25

B5	14.30	5.70	5.15

B7	4.40	3.60	3.90

B10	9.90	5.10	5.70

B12	4.90	5.10	5.10

C

C1	4.00	4.00	4.00

* C2	6.00	6.00	6.00

C3	3.00	3.00	3.00

* C4	8.00	8.00	8.00

* C5	10.00	10.00	10.00

S

S1	0.10	1.80	2.55

S2	0.10	4.20	3.35

S3	0.10	2.50	1.75

* S4	0.10	10.30	5.05

R

R1	1.50	4.00	3.00

R2	2.00	4.00	5.00

R3	2.40	6.00	5.00

*** Only has teeth on one side**
*** Heeft slechts aan één zijde profiel**
*** Als Zahnleiste nur 1-seitig gezahnt**

Notched blade A 0,5 mm hardened steel



#	→	▲▲▲	
779-E-A1	28	0.50 x 1.50 x 1.10	12
779-E-A2	28	1.30 x 1.70 x 1.40	12

Notched blade B 0,5 mm hardened steel



#	→	▲▲▲	
779-E-B1	28	2.60 x 2.40 x 2.00	12
779-E-B10	28	9.90 x 5.10 x 5.70	12
779-E-B12	28	4.90 x 5.10 x 5.10	12
779-E-B2	28	2.00 x 3.00 x 2.55	12
779-E-B3	28	3.30 x 3.70 x 3.25	12
779-E-B5	28	14.30 x 5.70 x 5.15	12
779-E-B7	28	4.40 x 3.60 x 3.90	12

Notched blade C 0,5 mm hardened steel



#	→	▲▲▲	
779-E-C1	28	4.00 x 4.00 x 4.00	12
779-E-C2	28	6.00 x 6.00 x 6.00	12
779-E-C3	28	3.00 x 3.00 x 3.00	12
779-E-C4	28	8.00 x 8.00 x 8.00	12
779-E-C5	28	10.00 x 10.00 x 10.00	12

Notched blade R 0,5 mm hardened steel



#	→	▲▲▲	
779-E-R1	28	1.50 x 4.00 x 3.00	12
779-E-R2	28	2.00 x 4.00 x 5.00	12
779-E-R3	28	2.40 x 6.00 x 5.00	12

Notched blade S 0,5 mm hardened steel



#	→	▲▲▲	
779-E-S1	28	0.10 x 1.80 x 2.55	12
779-E-S2	28	0.10 x 4.20 x 3.35	12
779-E-S3	28	0.10 x 2.50 x 1.75	12
779-E-S4	28	0.10 x 10.30 x 5.05	12



Rubber Blade 55 mm,
Rubber bar for Article 677-Z60 and 677-Z60IMP

#			
4940-E0	58	0 mm	5
4940-E2	58	2 mm	5
4940-E3	58	3 mm	5
4940-E4	58	4 mm	5
4940-E5	58	5 mm	5



Concave tapered trowel S/S with 15 mm radius and top edge board
Corner radius 15 mm. Stainless steel blade approx. 1,0 mm thick. Height of coving 80 mm. Width of the top edge board 10 mm. Contact width 120 mm and Length 200 mm

#		
34512015	12 x 20 x 8 cm	5



Concave tapered trowel S/S with 30 mm radius and top edge board
Corner radius 30 mm ~1 3/16 inch. Stainless steel blade approx. 1,0 mm ~3/64 inch thick. Height of coving 80 mm ~3 5/32 inch. Width of the top edge board 10 mm ~13/32 inch. Contact width 120 mm ~4 3/4 inch. Length 200 mm ~7 7/8 inch.

#		
34512030	12 x 20 x 8 cm	5



Concave tapered trowel S/S, with 15 mm radius, height 120 mm
Corner radius 15 mm. Stainless steel blade approx. 1,0 mm ~3/64 inch thick. Height of coving 120 mm. Contact width 120 mm ~4 3/4 inch. Length 200 mm ~7 7/8 inch.

#		
34412015	12 x 20 x 12 cm	5



Concave tapered trowel S/S, with 30 mm radius, height 120 mm
Corner radius 30 mm ~1 3/16 inch. Stainless steel blade approx. 1,0 mm ~3/64 inch thick. Height of coving 120 mm. Contact width 120 mm ~4 3/4 inch. Length 200 mm ~7 7/8 inch.

#		
34412030	12 x 20 x 12 cm	5



Floor trowel rounded S/S blade
Head and heel rounded stainless steel blade, reinforced light-alloy mounting, large rifled wooden handle. Thickness 1mm.For: Epoxy, Mortar & Decorative Concrete. Use: To spread and smoothen the Compound

#		
860R/42	12,5 x 42,5 cm	5



Floor trowel S/S
Stainless Steel blade. blade thickness 0,75 mm, untreated wooden handle. For: Epoxy, Mortar & Decorative Concrete. Use: To spread and smoothen the Compound

#		
860/40	13 x 40 cm	5



Floor trowel S/S with slot for notched blades
Leveller filled with slots to hold exchangeable notched blades, Light alloy mounting, wooden handle. To be used with exchangeable notched blades (see article numbers 779). The blade slots accepts 1 notched blade of 280 mm. Notched blade not included. For: Self-levelling Compound & Epoxy Screed.

#		
999R-OZ	13 x 28 cm	5



Smoothing trowel, sword type, S/S
Sword Shaped, hardened stainless steel blade 80/115 mm ~3 1/8 inch x 4 1/2 inch, blade length 500 mm ~ 20 inch, double light-metal support and wooden grip. Thickness of the blade is 1 mm. For: Epoxy, Mortar & Decorative Concrete. Use: To spread and smoothen the Compound

#		
34422R	50 x 8/11.5 cm	5



Trowel for Resin Based Mortars, S/S blade, 7,5 x 35 cm
Special Trowel for Resin Based Mortars, stainless steel blade, unvarnished wooden handle blade thickness 0,75 mm. Use: To spread and smoothen Mortars.

#		
8135	7,5 x 35 cm	5



Trowel round S/S 170 mm, 30 mm radius
CURVING TROWEL Stainless steel, Length 170 mm, Blade thickness 1.1 mm, radius 30 mm. For: Concrete & Epoxy Screed. Use: To shape the Cove or create a Channel

#		
3449030	17 cm	5



Trowel round S/S 170 mm, 50 mm radius
Stainless steel, Length 170 mm, Blade thickness 1.1 mm, radius 50 mm For: Concrete & Epoxy Screed. Use: To shape the Cove or create a Channel

#		
3449050	17 cm	5



Looped roller blue
Looped roller for smoothing out thin film coating. For leveling and finishing. The 50 cm version comes on a double arm frame

Diameter: 44

#				
724	Roller	25	10 mm	5
728	Roller	50	10 mm	5
2724	Refill	25	10 mm	5
2728	Refill	50	10 mm	5



Spiked Refill Steel 10mm
The Spike Refill Steel has very thin metal spikes, Spike Diameter 0,4mm, Ø 52 mm for less splashing. Available Spike length 10 mm and 18 mm For: Viscous or Structured Self-levelling Compounds. Use: For air bleeding during application

Diameter: 52

#				
2464	Refill	25	10 mm	5
2468	Refill	50	10 mm	5



Spiked Refill Steel 18mm
The Spike Refill steel has very thin metal spikes, Spike Diameter 0,4mm, Ø 52 mm for less splashing. Available Spike length 10 mm and 18 mm For: Viscous or Structured Self-levelling Compounds. Use: For air bleeding during application

Diameter: 52

#				
2484	Refill	25	18 mm	5
2488	Refill	50	16 mm	5



Spiked Roller Nylon Pro
PROFESSIONAL SPIKE ROLLER Material: Short Nylon Spikes Colour: White For: Self-levelling Compounds Use: For air bleeding during application of Self-levelling Compounds

Diameter: 44

#				
893	Roller	19	11 mm	1
894	Roller	24	11 mm	1
897	Roller	40	11 mm	1
898	Roller	50	11 mm	1



Spiked Roller Nylon
Spike Roller with 21mm or 31mm soft Nylon Spikes for air-bleeding during application of self-levelling floor concrete.

Diameter: 44

#				
424	Roller	25	31 mm	5
428	Roller	50	31 mm	5
429	Roller	75	31 mm	5
434	Roller	25	21 mm	5
438	Roller	50	21 mm	5
439	Roller	75	21 mm	5



Spiked Roller Nylon
Spike Roller with 11mm stiff Nylon Spikes for air-bleeding during application of self-levelling floor coating.

Diameter: 44

#		→		
442	Roller	18	11 mm	5
444	Roller	25	11 mm	5
447	Roller	40	11 mm	5
448	Roller	50	11 mm	5
449	Roller	70	11 mm	5
2442	Refill	18	11 mm	1
2444	Refill	25	11 mm	1
2447	Refill	40	11 mm	1
2448	Refill	50	11 mm	1



Fluid Mix portable mixing station
• For mixing fluid materials such as self-leveling, premixed, cement-based grout, paint and others.• Perfect mixing, time for mixing cut off 50%, it eliminates fatigue for transporting the materials once mixed.• Sturdy steel frame, rubber wheels, dust-free cap.• 4 swivel wheels and inclinable b

#	
238UN	6



Hoop Cage Paddle mixer
Hoop Mixer is for use with power drills. Made of zinc-plated steel it has a shaft diameter of 10mm and an oval mixing basket diameter of 140 mm.

#		
P345	60 cm	5



Mixer Metal
Metal mixer with hexagonal socket. For use with paint, tile adhesive and plaster. Blending capacity 10 kg.

#		
7152	40 cm	10
7153	40 cm	10
7156	60 cm	10

Mixer Plastic 40 cm x

#		
7151	40 cm	10



Propellor Epoxy Mixer Paddle Twin Blade
Made out of zinc-plated steel. Twin blade, contra rotating. For all kinds of Paint,screeds, resin, plaster, adhesives, paste, filling compounds, cementitous mortars, etc.

#		
629/10	50 cm	5
629/12	50 cm	5
629/8	35 cm	5

Nylon

Nylon

Premium quality strong non-shedding woven nylon fabric.
For all 2 pack paints and PU Resins.



Nylon roller blue stripe
First choice 13mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins.

Diameter: 44

#				
2962	Refill	18	13	10
2964	Refill	25	13	10



Nylon roller blue stripe
First choice 13mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins.

Diameter: 44

#				
2526	Refill	30	13	10
2527	Refill	40	13	10
2528	Refill	50	13	10
2529	Refill	70	13	10



Nylon Roll-on blue stripe
First choice 13mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins.

Diameter: 44

#				
2964K	Refill	23	13	48



Nylon roller blue stripe
First choice 13mm woven nylon fabric.Does not shed, very strong.For 2 component paints and p.u. resins. Also suitable for primers on floors

Diameter: 38

#				
561XL	Roller	15	13	50



Nylon roller blue stripe
First choice 13mm woven nylon fabric.Does not shed, very strong.For 2 component paints and p.u. resins. Also suitable for primers on floors

Diameter: 38

#				
2561XL	Refill	15	13	50



Nylon roller blue stripe
First choice 13mm woven nylon fabric.Does not shed, very strong.For 2 component paints and p.u. resins. Also suitable for primers on floors

Diameter: 38

#				
562	Roller	18	13	50
564	Roller	25	13	30
2562	Refill	18	13	50
2564	Refill	25	13	50



Nylon Line Marking Roller 7 cm / 3"
First choice 13mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable for primers on floors

Diameter: 38

#				
21069	Refill	7	13	50



Radiator refill nylon blue stripe
Packed in plastic bag 5 pieces. First choice 13mm woven nylon fabric.Does not shed, very strong.For 2 component paints and p.u. resins. Also suitable for primers on floors

Diameter: 30

#				
12720	Plastic Polybag (5 pcs)	12	13	10



Radiator refill nylon blue stripe
First choice 13mm woven nylon fabric.Does not shed, very strong.For 2 component paints and p.u. resins. Also suitable for primers on floors

Diameter: 15

#				
2560	PET Box (10 pcs)	11	13	10
2561	PET Box (10 pcs)	15	13	10
2569	PET Box (20 pcs)	5	13	5



Nylon roller blue/red stripe
First choice 7mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable as floor roller for applying a top layer.

Diameter: 44

#				
2712	Refill	18	7	10
2714	Refill	25	7	10



Nylon roller blue /red stripe
First choice 7mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable as floor roller for applying a top layer.

Diameter: 44

#				
2556	Refill	30	7	10
2557	Refill	40	7	10
2558	Refill	50	7	10
2559	Refill	70	7	10



Nylon Roll-on blue/red stripe
First choice 7mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable as floor roller for applying a top layer.

Diameter: 44

#				
2714K	Refill	23	7	50



Nylon roller blue/red stripe
First choice 7mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable as floor roller for applying a top layer.

Diameter: 38

#				
902	Roller	18	7	50
904	Roller	25	7	30
2902	Refill	18	7	50
2904	Refill	25	7	50



Radiator refill nylon blue/red stripe
Packed in bag 5 pcs. First choice 7mm woven nylon fabric. Does not shed, very strong. For 2 component paints and p.u. resins. Also suitable as floor roller for applying a top layer.

Diameter: 30

#				
12730	Plastic Polybag (5 pcs)	12	7	10

Vestan

Vestan

Polyester fabric with high paint absorption.
Compatible with all paints based on alkyd resins and emulsions.



Vestan roller white
21mm Polyester fabric. Excellent paint absorption. For all paints, based on alkyd resins and emulsions. Also suitable for primers on floors

Diameter: 44

#				
2538	Refill	50	21	10
2539	Refill	70	21	10
2802	Refill	18	21	10
2804	Refill	25	21	10



Polyester roller yellow medium
15mm Polyester fabric. High paint absorption. Compatible with all paints based on alkydresins and emulsions. Also suitable for primers on floors


Diameter: 44

#				
2866	Refill	30	15	10

Microfiber

Microfiber


Exclusively woven microfibre fabric. Perfect smooth finishing, does not shed.
Especially for wood stains and wood preservative treatments.



MicroMix roller blue
Exclusively closed woven 15mm blend of microfiber and polyester. Smooth finishing, does not shed. For all paints, based on alkyd resins and emulsions.

Diameter: 44

#				
2612	Refill	18	15	10
2614	Refill	25	15	10



Radiator refill Micromix blue
Exclusively closed woven 15mm blend of microfiber and polyester. Smooth finishing, does not shed. For all paints, based on alkyd resins and emulsions.

Diameter: 30

#				
12611	Plastic Polybag (5 pcs)	12	15	10



Radiator refill Micromix blue
Exclusively closed woven 15mm blend of microfiber and polyester. Smooth finishing, does not shed. For all paints, based on alkyd resins and emulsions.

Diameter: 15

#				
2610	PET Box (10 pcs)	11	15	10



Microfiber roller white
Exclusively woven 10mm microfiber fabric. Perfect smooth finishing. Especially for woodstains and wood preservative treatments.

Diameter: 44

#				
2627	Refill	40	10	10

Microfiber roller 10 mm white
Exclusively woven 10mm microfiber fabric.Perfect smooth finishing.Especially for woodstains and wood preservative treatments.

Diameter: 44

#				
2622	Refill	18	10	10
2624	Refill	25	10	10
2628	Refill	50	10	10



Texture roller coarse yellow
Coarse grained polyester foam. For application of fine or coarse textured masonry coatings. For waterbased texture and mineral paints.

Diameter: 75

#			
2984	Refill	25	10
2988	Refill	50	10



Texture Roll-on Medium
Medium grained polyester foam.For application of fine or coarse textured masonry coatings.For waterbased texture and mineral paints.Also suitable for special applications on floors.

Diameter: 75

#			
2984K/M	Refill	23	48



Cage frame prof

Diameter: 44

#	→	
31034IMP	23	36



Double arm frame 30 cm / 12"

Diameter: 44

#	
Series	



Double Arm Frame Aluminium (Adjustable)
Adjustable width 25 - 40 cm (10" - 15")

Diameter: 44

#	→	
3527	25	1
3528	40	1



Double arm wire frame

Diameter: 44

#	→	
3545	25	5
3546	48	1
3548	50	5



Frame long

#	↑	
3592	60 cm	100



Frame long

#	↑	
3590	42 cm	100



Quick-lock frame plastic

#		
3802	29 cm	70
3804	29 cm	70



Black bucket
Builders Bucket. Material: Plastic. Colour: Black. For: Paint and Other Liquids. 11 liter / 3 gallon

#		
BB3GAL	11 ltr	10



Paint bucket plastic black

#	→		
751/z	40	25	20
75015	30	15	20



Paint bucket plastic black 12 ltr. with spout

#	→		
750-20/z	25	12	20



Paint bucket plastic black 8 ltr. with Spout

#	→		
794/z	18	8	40



Paint tray DIY plastic black 28 x 35 cm

#	→	
757/z	9	50



Paint tray plastic black 15 x 30 cm

#	→	
350/z	4	150



Paint tray plastic black 31 x 35 cm

#	→	
754/z	10	50



Paint tray plastic black 44 x 49 cm
Large paint roller tray. Internal width 46 cm/18 inches. Deep profiled roll off area with side drainage channels. Approx 3 litre maximum working capacity. With pouring spout. Dimensions 44 cm/17 inches long x 46 cm/19 inches wide x 11 cm/4.3 inches deep.

#	→	
795/z	18	10



Paint tray plastic black with spout 33 x 52 cm

#	→	
756/z	11	60



Round Plastic Bucket with Lid

#	→		
794R-30	39	30	12



Round Plastic Bucket with Lid and Handle

#	→		
794R-10	27	10	24
794R-5	23	5	40



Disposable coverall (size XL)
This popular disposable coverall is used widely across many industries. It is designed with elasticated stitching around the hood, both the leg and sleeve hems and elasticated stitch detail around the waist, making it a great fit. This product is individually wrapped and is available in white.Featur

#		
7511	XL	40



Disposable Overshoes Blue PVC 100 pcs
0,1mm x 40cm x 16cm

#				
7509	100 pcs	40 x 16 cm	0,1 mm	5



Gloves Latex Powder Free white 100 pcs
Manufactured from genuine natural rubber (which can cause allergic reactions in some people) these gloves provide the highest degree of dexterity with superior strength and comfort. 100 gloves per box. CE Category 1 Food Safe.

#			
7363/L	100 pcs	L	5
7363/XL	100 pcs	XL	5



Gloves Nitrile Powder Free disposable blue 100 pcs
Size L. Manufactured from synthetic nitrile rubber, these gloves eliminate the risk of allergic reaction that is associated with latex gloves. A textured finish provides enhanced fingertip grip and offers dexterity in both wet and dry conditions. 100 gloves per box. Conforms to EN420, EN388 and EN37

#			
7365/L	100 pcs	L	5
7365/M	100 pcs	M	5
7365/XL	100 pcs	XL	5



Gloves Vinyl Powder Free Blue 100 pcs
Manufactured from high grade Poly-vinyl chloride our Vinyl Disposable Gloves are super soft for superior user comfort and super stretchy to reduce hand fatigue. These gloves are latex free smooth and non textured with a beaded cuff. 100 gloves per box CE Category 1. CE Food safe

#			
7364/L	100 pcs	L	5
7364/M	100 pcs	m	5
7364/XL	100 pcs	XL	5



Knee Pads Rubber, Heavy Duty
It uses high density polyurethane which is strong enough and thick enough to both protect your knee and cushion it at the same time. Its ribbed design gives good stability. It also prevents water absorption making it ideal for working in wet environments. With adjustable straps for a secure fit.

#	
C641	6



Kneepads Ultimate Gel
Functional and technically innovative, the 138RELAX offers tough protection and premium comfort to the user. Thick silicone gel adapts to your knee cap offering unrivalled comfort, whilst the tough abrasion resistant PVC shell ensures ultimate protection and a longer life span. The shell is designed

#	
138RELAX	6



Nylon Gloves PU coated Black L
EN420, EN388Perfect for intricate tasks where dexterity and breathability are essential. Fabric Nylon, PU

#			
7360/L	1 pair	L	24
7360/XL/10	1 pair	XL	24



Nylon Gloves PU coated white L
EN420, EN388Perfect for intricate tasks where dexterity and breathability are essential. Fabric Nylon, PU

#			
7361/L/9	1 pair	L	24
7361/XL/10	1 pair	XL	24
7361/XXL/11	1 pair	XXL	24



PE protection boot
Splash protection of shoes and trousers during painting, decorating, priming or sealing.

#		
7513	75 mµ	30



Smooth tiler's shoes (1 pair)
Flat Bottom Shoes for walking on Adhesive and Screed Base. With adjustable rubber strap

#		
C346	1 pair	5



Spiked shoes (1 pair)
1 pair of Spiked shoes with 40 mm spikes and 2 nylon fiber adjustable straps. Spiked shoes are used for walking on freshly laid screeds or coatings Spiked shoes will bleed air just like spike rollers.

#			
244	1 pair	40 mm	5



Spiked shoes black
1 pair of Spiked shoes with 35 mm spikes and 2 nylon fiber adjustable straps Spiked shoes are used for walking on freshly laid screeds or coatings Spiked shoes will bleed air just like spike rollers.

#			
244IMP	1 pair	35 mm	5



3M Masking Tape
3M™ Value General Purpose Masking Tape 101E is a premium quality tape ideal for many tasks including paint masking. Temperature resistant up to 60°C. Crepe paper backing for conformability that will maintain integrity when formed around corners. Backing saturated for easy tear – resists slivering

#		
300025	50 m	36
300038	50 m	24
300050	50 m	20



Duct Tape 3M Black 50 mm x 50 m.
3M™ Value Duct Tape 1900 is a good toolbox tape for general applications including light-duty sealing, bundling, marking, and temporary repairs in non-critical applications. Its synthetic rubber adhesive sticks on contact to smooth metal, glass, plastic, sealed concrete and more, and the water-resis

#		
341050	50 m	24



Duct Tape 3M Grey 50 mm x 50 m.
3M™ Value Duct Tape 1900 is a good toolbox tape for general applications including light-duty sealing, bundling, marking, and temporary repairs in non-critical applications. Its synthetic rubber adhesive sticks on contact to smooth metal, glass, plastic, sealed concrete and more, and the water-resis

#		
340050	50 m	24



Economy brush
100% tapered synthetic bristle, no glue used. No hair loss. For all types of coating. Multiple use and easy to clean.

Quality: Basic
Hair Type: Synthetic

#				
200050	50	45	11	24
200075	75	48	12	24
200100	100	48	12	24



Flat brush, white bristle
60% tops white bristle tin plated ferrule blue plastic handle

Quality: Basic
Hair Type: Natural

#				
240020	20	38	14	24
240030	30	38	14	24
240040	40	38	14	24
240050	50	38	14	24
240060	60	42	14	24
240070	70	42	14	24
240080	80	42	14	24



Level Pins 100 pieces
Simply cut the level pin with scissors to the desired height, using the moulded millimetre rule along the pin. Stick the pin to the floor using the heavy-duty self adhesive base of the pin. Apply the concrete or screed until they are level with the top of the pin.

#		
420	100 pcs	3



Masonry brush
70 % PET / 30 % white bristle stainless steel ferrule-yellow plastic handle


Quality: Standard
Hair Type: Natural

#			
7455	4	76	24



Painters sponge
Viscose

#		
417	140 x 110 x 35 mm	20



Putty knife set metal - 4 parts
4-pcs set of metal putty knives. Size: 5 cm +8 cm + 10 cm + 12 cm

#	
7090	24



Putty knife set plastic - 4 parts
4-pcs set of plastic putty knives. Size: 5 cm + 7,5 cm + 10 cm + 12 cm

#	
7091	24




Telescopic pole Pro-Steel internal lock
Steel telescopic pole 2-pcs, Internal twist lock, fixed european cone

#		
763	1,00 - 2,00 m	20
764	1,50 - 3,00 m	10



Telescopic pole Super-Lock double lock USA thread and cone
Super-lock telescopic pole with fiberglass outer and Aluminium inner , twin lock, exchangable universal cone and US thread

#		
451	0,60 - 1,20 m	12
452	1,20 - 2,40 m	12
453	0,90 - 1,80 m	12
454	1,80 - 3,60 m	6
455	2,70 - 5,40 m	6



WFT gauge aluminium
measuring range 0,5-10 mm

#	
7200	20

Q1

Premium Masking Solutions



Q1 Duct tape 50 mm x 50 mtr
All Purpose Duct Tape Black:Excellent conformabilityPerfectly waterproofSuitable for multiple surfacesQ1® All Purpose Duct Tape it the perfect tool for general repairs, bundling, patching & mending and protection from damages.It can be used as protection and sealant in many contexts like home an

#		
348050	50 m	36

Copyright © 2022 Roll Roy B.V.

Terms and Conditions apply on this publication. These can be obtained on our website at https://rollroy.com or on request by contacting us. Although we try our best to make sure this publication is free of errors, no rights can be derived from it.

DOP: 10-5-2022

ROLL ROY®

Specialist in Painting Tools

Roll Roy Holland

Westhavenweg 87
1042 BA, Amsterdam
The Netherlands

+31 20 6118101
sales@rollroy.com

Roll Roy UK

57-59 Clarence Street
HU9 1DH Kingston upon Hull
United Kingdom

+44 1482 781400
sales@rollroy.co.uk

Roll Roy Middle East

P.O. Box: 120320, Unit Q4 - 041
Saif Zone, Sharjah
United Arab Emirates

+971 65 579 405
sales@rollroy.ae

scan and go
rollroy.com